

# SAFETY DATA SHEET



WEICONLOCK AN 306-30

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** : WEICONLOCK AN 306-30  
**Product code** : 306300  
**Color** : Green.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified uses     |
|---------------------|
| Adhesives-Anaerobic |

### 1.3 Details of the supplier of the safety data sheet

WEICON GmbH & Co. KG  
Königsberger Str. 255  
48157 Münster  
Germany  
Phone: +49 251 93220  
Fax: +49(0)251 / 9322 - 244  
Internet: www.weicon.de

**e-mail address of person responsible for this SDS** : msds@weicon.de

### 1.4 Emergency telephone number

**Telephone number** : EMERGENCY CONTACT – UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English)  
TRANSPORT EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

#### **Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Skin Irrit. 2, H315  
Eye Dam. 1, H318  
STOT SE 3, H335  
Aquatic Chronic 4, H413

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**Hazard pictograms** :



**Signal word** : Danger

## SECTION 2: Hazards identification

|   |  |
|---|--|
| <b>Hazard statements</b>  | : H315 - Causes skin irritation.<br>H318 - Causes serious eye damage.<br>H335 - May cause respiratory irritation.<br>H413 - May cause long lasting harmful effects to aquatic life.  |
| <b>Precautionary statements</b>   |  |
| <b>General</b>  | : P103 - Read carefully and follow instructions.<br>P102 - Keep out of reach of children.<br>P101 - If medical advice is needed, have product container or label at hand.  |
| <b>Prevention</b>   | : P280 - Wear protective gloves. Wear eye or face protection.<br>P271 - Use only outdoors or in a well-ventilated area.<br>P273 - Avoid release to the environment.<br>P261 - Avoid breathing vapor.<br>P264 - Wash thoroughly after handling.   |
| <b>Response</b>   | : P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell.<br>P362 + P364 - Take off contaminated clothing and wash it before reuse.<br>P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>Immediately call a POISON CENTER or doctor. |
| <b>Storage</b>  | : P405 - Store locked up.<br>P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.  |
| <b>Disposal</b>   | : P501 - Dispose of waste according to applicable legislation.   |
| <b>Hazardous ingredients</b>  | : acrylic acid<br>$\alpha,\alpha$ -dimethylbenzyl hydroperoxide  |
| <b>Supplemental label elements</b>  | : Not applicable.  |
| <b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b> | : Not applicable.  |

### 2.3 Other hazards

|  |   |
|--|---|
| <b>Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII</b> | : This mixture does not contain any substances that are assessed to be a PBT or a vPvB. |
| <b>Other hazards which do not result in classification</b>   | : None known.   |

## SECTION 3: Composition/information on ingredients

**3.2 Mixtures** : Mixture

| Product/ingredient name   | Identifiers  | %         | Regulation (EC) No. 1272/2008 [CLP]   | Type   |
|---|--|-----------|---|--------|
| Poly(oxy-1,2-ethanediyl), $\alpha,\alpha'$ -<br><small>[[1-methylethylidene]di-4,1-phenylene]bis[ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-</small> | REACH #:<br>01-2119980659-17<br>EC: 609-946-4<br>CAS: 41637-38-1                     | ≥75 - ≤90 | Aquatic Chronic 4,<br>H413  | [1]    |
| acrylic acid  | REACH #:<br>01-2119452449-31<br>EC: 201-177-9<br>CAS: 79-10-7<br>Index: 607-061-00-8 | ≤3.8      | Flam. Liq. 3, H226<br>Acute Tox. 4, H302<br>Acute Tox. 4, H312<br>Acute Tox. 4, H332<br>Skin Corr. 1A, H314<br>Eye Dam. 1, H318<br>STOT SE 3, H335<br>Aquatic Acute 1, H400 | [1][2] |

### SECTION 3: Composition/information on ingredients

|  |  |                              |  |                |
|--|--|------------------------------|--|----------------|
| <p><math>\alpha,\alpha</math>-dimethylbenzyl hydroperoxide</p> | <p>REACH #:<br/>01-2119475796-19<br/>EC: 201-254-7<br/>CAS: 80-15-9<br/>Index: 617-002-00-8</p>  | <p><math>\leq 2.2</math></p> | <p>(M=1)<br/>Org. Perox. E, H242<br/>Acute Tox. 4, H302<br/>Acute Tox. 4, H312<br/>Acute Tox. 3, H331<br/>Skin Corr. 1B, H314<br/>Eye Dam. 1, H318<br/>STOT SE 3, H335<br/>STOT RE 2, H373<br/>Aquatic Chronic 2, H411</p> | <p>[1]</p>     |
| <p>ethanediol</p>  | <p>REACH #:<br/>01-2119456816-28<br/>EC: 203-473-3<br/>CAS: 107-21-1<br/>Index: 603-027-00-1</p> | <p>&lt;1</p>                 | <p>Acute Tox. 4, H302<br/><br/><b>See Section 16 for the full text of the H statements declared above.</b></p>   | <p>[1] [2]</p> |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- Eye contact** : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
- Inhalation** : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

## SECTION 4: First aid measures

- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:  
pain  
watering  
redness
- Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing
- Skin contact** : Adverse symptoms may include the following:  
pain or irritation  
redness  
blistering may occur
- Ingestion** : Adverse symptoms may include the following:  
stomach pains

### 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

### 5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : In a fire or if heated, a pressure increase will occur and the container may burst. This material may cause long lasting harmful effects to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
- Hazardous combustion products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide

### 5.3 Advice for firefighters

## SECTION 5: Firefighting measures

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

- : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

### 6.3 Methods and materials for containment and cleaning up

- : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### 6.4 Reference to other sections

- : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance.

### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

WEICONLOCK AN 306-30

## SECTION 7: Handling and storage

### 7.3 Specific end use(s)

**Recommendations** : Not available.  
**Industrial sector specific solutions** : Not available.

## SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

#### Occupational exposure limits

| Product/ingredient name | Exposure limit values  |
|-------------------------|--|
| acrylic acid            | <b>EH40/2005 WELs (United Kingdom (UK), 8/2018).</b><br>STEL: 59 mg/m <sup>3</sup> 1 minutes.<br>STEL: 20 ppm 1 minutes.<br>TWA: 29 mg/m <sup>3</sup> 8 hours.<br>TWA: 10 ppm 8 hours.   |
| ethanediol              | <b>EH40/2005 WELs (United Kingdom (UK), 8/2018). Absorbed through skin.</b><br>TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Particulate<br>STEL: 104 mg/m <sup>3</sup> 15 minutes. Form: Vapor<br>TWA: 52 mg/m <sup>3</sup> 8 hours. Form: Vapor<br>STEL: 40 ppm 15 minutes. Form: Vapor<br>TWA: 20 ppm 8 hours. Form: Vapor |

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs/DMELs

| Product/ingredient name   | Type | Exposure              | Value                  | Population         | Effects  |
|---|------|-----------------------|------------------------|--------------------|----------|
| Poly(oxy-1,2-ethanediyl), α,α'-<br>[[1-(1-methylethylidene)di-4,1-phenylene]bis[ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]]] | DNEL | Long term Oral        | 0.5 mg/kg bw/day       | General population | Systemic |
|   | DNEL | Long term Inhalation  | 0.87 mg/m <sup>3</sup> | General population | Systemic |
|   | DNEL | Long term Dermal      | 1 mg/kg bw/day         | General population | Systemic |
|   | DNEL | Long term Dermal      | 2 mg/kg bw/day         | Workers            | Systemic |
|   | DNEL | Long term Inhalation  | 3.52 mg/m <sup>3</sup> | Workers            | Systemic |
| acrylic acid  | DNEL | Short term Inhalation | 3.6 mg/m <sup>3</sup>  | General population | Local    |

## SECTION 8: Exposure controls/personal protection

|  |      |                      |                       |                    |          |
|--|------|----------------------|-----------------------|--------------------|----------|
| α,α-dimethylbenzyl hydroperoxide<br><br>ethanediol | DNEL | Long term Inhalation | 3.6 mg/m <sup>3</sup> | General population | Local    |
|  | DNEL | Long term Inhalation | 6 mg/m <sup>3</sup>   | Workers            | Systemic |
|  | DNEL | Long term Inhalation | 7 mg/m <sup>3</sup>   | General population | Local    |
|  | DNEL | Long term Inhalation | 35 mg/m <sup>3</sup>  | Workers            | Local    |
|  | DNEL | Long term Dermal     | 53 mg/kg bw/day       | General population | Systemic |
|  | DNEL | Long term Dermal     | 106 mg/kg bw/day      | Workers            | Systemic |

### PNECs

No PNECs available.

### 8.2 Exposure controls

**Appropriate engineering controls** : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. Recommended : 1 - 4 hours (breakthrough time): nitrile rubber ; 4 - 8 hours (breakthrough time): Viton®/butyl rubber

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended : organic vapor (Type AX) and particulate filter

## SECTION 8: Exposure controls/personal protection

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

**Physical state** : Liquid.  
**Color** : Green.  
**Odor** : Bland.  
**Odor threshold** : Not available.  
**pH** : Not available.  
**Melting point/freezing point** : Not available.  
**Initial boiling point and boiling range** : Not available.  
**Flash point** : Closed cup: >100°C  
**Evaporation rate** : Not available.  
**Flammability (solid, gas)** : Flammable in the presence of the following materials or conditions: open flames, sparks and static discharge.  
Slightly flammable in the presence of the following materials or conditions: heat.  
**Upper/lower flammability or explosive limits** : Not available.  
**Vapor pressure** : Not available.  
**Vapor density** : Not available.  
**Relative density** : Not available.  
**Density** : 1.1 g/cm<sup>3</sup> [20°C]  
**Solubility(ies)** : Soluble in the following materials: acetone.  
Partially soluble in the following materials: n-octanol.  
Very slightly soluble in the following materials: cold water and hot water.  
**Partition coefficient: n-octanol/ water** : Not available.  
**Auto-ignition temperature** : Not applicable.  
**Decomposition temperature** : Not available.  
**Viscosity** : Dynamic (room temperature): 4000 mPa·s  
**Remarks** : Not available.  
**Explosive properties** : Not available.  
**Oxidizing properties** : Not available.

### 9.2 Other information

**Solubility in water** : Not available.

## SECTION 10: Stability and reactivity

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

**10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4 Conditions to avoid** : No specific data.



## SECTION 10: Stability and reactivity

**10.5 Incompatible materials** : No specific data.

**10.6 Hazardous decomposition products** : Highly reactive or incompatible with the following materials: metals.  
Reactive or incompatible with the following materials: oxidizing materials and reducing materials.  
Reacts with heavy metals and metallic salts.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

| Product/ingredient name          | Result                | Species | Dose                   | Exposure |
|----------------------------------|-----------------------|---------|------------------------|----------|
| acrylic acid                     | LC50 Inhalation Vapor | Mouse   | 5300 mg/m <sup>3</sup> | 2 hours  |
|                                  | LD50 Dermal           | Rabbit  | 640 mg/kg              | -        |
|                                  | LD50 Oral             | Rat     | 1337 mg/kg             | -        |
| α,α-dimethylbenzyl hydroperoxide | LC50 Inhalation Gas.  | Rat     | 220 ppm                | 4 hours  |
|                                  | LD50 Dermal           | Rat     | 500 mg/kg              | -        |
|                                  | LD50 Oral             | Rat     | 800 mg/kg              | -        |
| ethanediol                       | LD50 Oral             | Rat     | 4700 mg/kg             | -        |

**Conclusion/Summary** : Not available.

#### Acute toxicity estimates

| Route               | ATE value      |
|---------------------|----------------|
| Oral                | 22566.59 mg/kg |
| Dermal              | 23157.89 mg/kg |
| Inhalation (gases)  | 40000 ppm      |
| Inhalation (vapors) | 366.67 mg/l    |

#### Irritation/Corrosion

| Product/ingredient name          | Result                   | Species | Score | Exposure        | Observation |
|----------------------------------|--------------------------|---------|-------|-----------------|-------------|
| acrylic acid                     | Eyes - Severe irritant   | Rabbit  | -     | 24 hours 250 ug | -           |
|                                  | Eyes - Severe irritant   | Rabbit  | -     | 1 mg            | -           |
|                                  | Skin - Severe irritant   | Rabbit  | -     | 24 hours 5 mg   | -           |
| α,α-dimethylbenzyl hydroperoxide | Skin - Severe irritant   | Rabbit  | -     | 500 mg          | -           |
|                                  | Skin - Mild irritant     | Rabbit  | -     | 500 mg          | -           |
| ethanediol                       | Eyes - Mild irritant     | Rabbit  | -     | 24 hours 500 mg | -           |
|                                  | Eyes - Mild irritant     | Rabbit  | -     | 1 hours 100 mg  | -           |
|                                  | Eyes - Moderate irritant | Rabbit  | -     | 6 hours 1440 mg | -           |

## SECTION 11: Toxicological information

|  |                      |        |   |        |   |
|--|----------------------|--------|---|--------|---|
|  | Skin - Mild irritant | Rabbit | - | 555 mg | - |
|--|----------------------|--------|---|--------|---|

**Conclusion/Summary** : Not available.

### **Sensitization**

**Conclusion/Summary** : Not available.

### **Mutagenicity**

**Conclusion/Summary** : Not available.

### **Carcinogenicity**

**Conclusion/Summary** : Not available.

### **Reproductive toxicity**

**Conclusion/Summary** : Not available.

### **Teratogenicity**

**Conclusion/Summary** : Not available.

### **Specific target organ toxicity (single exposure)**

| Product/ingredient name                       | Category   | Route of exposure | Target organs                |
|---|------------|-------------------|------------------------------|
| acrylic acid                                  | Category 3 | -                 | Respiratory tract irritation |
| $\alpha,\alpha$ -dimethylbenzyl hydroperoxide | Category 3 | -                 | Respiratory tract irritation |

### **Specific target organ toxicity (repeated exposure)**

| Product/ingredient name                       | Category   | Route of exposure | Target organs |
|---|------------|-------------------|---------------|
| $\alpha,\alpha$ -dimethylbenzyl hydroperoxide | Category 2 | -                 | -             |

### **Aspiration hazard**

Not available.

**Information on the likely routes of exposure** : Not available.

### **Potential acute health effects**

**Eye contact** : Causes serious eye damage.

**Inhalation** : May cause respiratory irritation.

**Skin contact** : Causes skin irritation.

**Ingestion** : No known significant effects or critical hazards.

### **Symptoms related to the physical, chemical and toxicological characteristics**

**Eye contact** : Adverse symptoms may include the following:  
pain  
watering  
redness

**Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing

**Skin contact** : Adverse symptoms may include the following:  
pain or irritation  
redness  
blistering may occur

**Ingestion** : Adverse symptoms may include the following:  
stomach pains

## SECTION 11: Toxicological information

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

Not available.

**Conclusion/Summary** : Not available.

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

**Other information** : Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

| Product/ingredient name                       | Result                                    | Species                                    | Exposure |
|---|---|--|----------|
| acrylic acid                                  | Chronic NOEC 3.8 mg/l Fresh water         | Daphnia - Daphnia magna - Neonate          | 21 days  |
| $\alpha,\alpha$ -dimethylbenzyl hydroperoxide | Acute LC50 12.7 mg/l Fresh water          | Fish - Pimephales promelas - Larvae        | 96 hours |
| ethanediol                                    | Acute LC50 6900000 $\mu$ g/l Fresh water  | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
|   | Acute LC50 41000000 $\mu$ g/l Fresh water | Daphnia - Daphnia magna - Neonate          | 48 hours |
|   | Acute LC50 8050000 $\mu$ g/l Fresh water  | Fish - Pimephales promelas                 | 96 hours |

**Conclusion/Summary** : Not available.

### 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

### 12.3 Bioaccumulative potential

| Product/ingredient name                       | LogP <sub>ow</sub> | BCF   | Potential |
|---|--------------------|-------|-----------|
| acrylic acid                                  | 0.38               | 3.162 | low       |
| $\alpha,\alpha$ -dimethylbenzyl hydroperoxide | 1.6                | 9     | low       |
| ethanediol                                    | -1.36              | -     | low       |

### 12.4 Mobility in soil

WEICONLOCK AN 306-30

## SECTION 12: Ecological information

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : The classification of the product may meet the criteria for a hazardous waste.

#### European waste catalogue (EWC)

| Waste code | Waste designation  |
|------------|--|
| 08 04 09*  | waste adhesives and sealants containing organic solvents or other hazardous substances |

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

| Type of packaging | European waste catalogue (EWC)   |
|-------------------|--|
| 15 01 10*         | packaging containing residues of or contaminated by hazardous substances |

**Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

|  | ADR/RID        | IMDG           | IATA           |
|--|----------------|----------------|----------------|
| <b>14.1 UN number</b>                  | Not available. | Not available. | Not available. |
| <b>14.2 UN proper shipping name</b>    | Not available. | Not available. | Not available. |
| <b>14.3 Transport hazard class(es)</b> | Not available. | Not available. | Not available. |
| <b>14.4 Packing group</b>              | -              | -              | -              |
|  |                |                |                |

WEICONLOCK AN 306-30

## SECTION 14: Transport information

| 14.5 Environmental hazards | No. | No.            | No. |
|----------------------------|-----|----------------|-----|
|                            |     | Not available. |     |

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to IMO instruments** : Not available.

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

### EU Regulation (EC) No. 1907/2006 (REACH)

#### Annex XIV - List of substances subject to authorization

##### Annex XIV

None of the components are listed.

##### Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.

#### Other EU regulations

**Industrial emissions (integrated pollution prevention and control) - Air** : Not listed

**Industrial emissions (integrated pollution prevention and control) - Water** : Not listed

#### Ozone depleting substances (1005/2009/EU)

Not listed.

#### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**VOC content** : ca. 5 %

**VOC (g/L)** : 45

#### Seveso Directive

This product is not controlled under the Seveso Directive.

#### International regulations

##### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

##### Montreal Protocol

Not listed.

## SECTION 15: Regulatory information

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

|  |  |
|--|--|
| <b>Australia</b>                       | : All components are listed or exempted.   |
| <b>Canada</b>                          | : All components are listed or exempted.   |
| <b>China</b>                           | : All components are listed or exempted.   |
| <b>Europe</b>                          | : All components are listed or exempted.   |
| <b>Japan</b>                           | : All components are listed or exempted.   |
| <b>New Zealand</b>                     | : All components are listed or exempted.   |
| <b>Philippines</b>                     | : Not determined.  |
| <b>Republic of Korea</b>               | : All components are listed or exempted.   |
| <b>Taiwan</b>                          | : All components are listed or exempted.   |
| <b>Turkey</b>                          | : Not determined.  |
| <b>United States</b>                   | : All components are active or exempted.   |
| <b>Viet Nam</b>                        | : All components are listed or exempted.   |
| <b>15.2 Chemical Safety Assessment</b> | : This product contains substances for which Chemical Safety Assessments are still required. |

## SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

|                                   |  |
|-----------------------------------|--|
| <b>Abbreviations and acronyms</b> | : ATE = Acute Toxicity Estimate<br>CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]<br>DMEL = Derived Minimal Effect Level<br>DNEL = Derived No Effect Level<br>EUH statement = CLP-specific Hazard statement<br>N/A = Not available<br>PBT = Persistent, Bioaccumulative and Toxic<br>PNEC = Predicted No Effect Concentration<br>RRN = REACH Registration Number<br>SGG = Segregation Group<br>vPvB = Very Persistent and Very Bioaccumulative |
|-----------------------------------|--|

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification          | Justification      |
|-------------------------|--------------------|
| Skin Irrit. 2, H315     | Calculation method |
| Eye Dam. 1, H318        | Calculation method |
| STOT SE 3, H335         | Calculation method |
| Aquatic Chronic 4, H413 | Calculation method |

### Full text of abbreviated H statements

WEICONLOCK AN 306-30

## SECTION 16: Other information

|      |  |
|------|--|
| H226 | Flammable liquid and vapor.  |
| H242 | Heating may cause a fire.  |
| H302 | Harmful if swallowed.  |
| H312 | Harmful in contact with skin.                                      |
| H314 | Causes severe skin burns and eye damage.                           |
| H315 | Causes skin irritation.  |
| H318 | Causes serious eye damage.   |
| H331 | Toxic if inhaled.  |
| H332 | Harmful if inhaled.  |
| H335 | May cause respiratory irritation.                                  |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life.  |
| H411 | Toxic to aquatic life with long lasting effects.                   |
| H413 | May cause long lasting harmful effects to aquatic life.            |

### Full text of classifications [CLP/GHS]

|                   |   |
|-------------------|---|
| Acute Tox. 3      | ACUTE TOXICITY - Category 3                                     |
| Acute Tox. 4      | ACUTE TOXICITY - Category 4                                     |
| Aquatic Acute 1   | AQUATIC HAZARD (ACUTE) - Category 1                             |
| Aquatic Chronic 2 | AQUATIC HAZARD (LONG-TERM) - Category 2                         |
| Aquatic Chronic 4 | AQUATIC HAZARD (LONG-TERM) - Category 4                         |
| Eye Dam. 1        | SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1                 |
| Flam. Liq. 3      | FLAMMABLE LIQUIDS - Category 3                                  |
| Org. Perox. E     | ORGANIC PEROXIDES - Type E                                      |
| Skin Corr. 1A     | SKIN CORROSION/IRRITATION - Category 1A                         |
| Skin Corr. 1B     | SKIN CORROSION/IRRITATION - Category 1B                         |
| Skin Irrit. 2     | SKIN CORROSION/IRRITATION - Category 2                          |
| STOT RE 2         | SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 |
| STOT SE 3         | SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 3   |

**Date of printing** : 03.09.2020

**Date of issue/ Date of revision** : 03.09.2020

**Date of previous issue** : 02.06.2020

**Version** : 2.01

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.